UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,789	07/20/2005	Israel Rubinstein	RUBINSTEIN9A	2392
	7590 08/27/200 D NEIMARK, P.L.L.C	EXAMINER		
624 NINTH STREET, NW			HORNING, JOEL G	
	SUITE 300 WASHINGTON, DC 20001-5303		ART UNIT	PAPER NUMBER
			1792	
			MAIL DATE	DELIVERY MODE
			08/27/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/542,789	RUBINSTEIN ET AL.		
Office Action Summary	Examiner	Art Unit		
	JOEL G. HORNING	1792		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 19 Ju     This action is <b>FINAL</b> . 2b)☑ This     Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-23,25-27,32 and 33 is/are pending i 4a) Of the above claim(s) 24 and 28-31 is/are w 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-23,25-27,32 and 33 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	vithdrawn from consideration.			
10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of Replacement drawing sheet(s) including the correction is objected to by the Explanation is objected to by the Explanation is objected.	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12-15-2005, 09-10-2007.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ate		

Art Unit: 1792

### **DETAILED ACTION**

#### Election/Restrictions

Applicant's election with traverse of Group I, directed towards a method for preparing a nanoparticle based structure, claims 1-23, 25-27, 32 and 33, in the reply filed on June 19<sup>th</sup>, 2008 is acknowledged. The traversal is on the ground(s) that the inventions' "common subject matter involves more than anything disclosed by [the] Braunstein" reference. This is not found persuasive because applicant has failed to specifically point out anything the inventions share in common that is not taught by the Braunstein reference.

The requirement is still deemed proper and is therefore made FINAL.

# Specification

1. The disclosure is objected to because of the following informalities:

Claim 15 teaches dissolving the substrate with an acid, however, this is not taught in the disclosure.

Appropriate correction to the disclosure is required.

## Claim Objections

2. Claim 16 objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 16 requires that the "colloid solution be passed in an amount sufficient to form a coherent material." Claim 1, which claim 16 depends upon already requires that the material be coherent and

Art Unit: 1792

examiner reasons that if the limitation of claim 16 is not met, then there would be insufficient material passed to form a coherent material and the limitation of claim 1 requiring that the material be coherent would not be met.

# Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-23, 25-27, 32 and 33 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The term "substantially hollow" found in claims 1, 2, 6, 18, 25 and 26, and by virtue of their dependency on those claims, in claims 3-5, 7-17, 19-23, 27, 32 and 33 is a relative term which renders the claim indefinite. The term "substantially" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. It is not clear how large the hole in the tubes would need to be to constitute "substantially hollow". Therefore, one would not know what the metes and bounds of the claims are. For the purposes of examination, the term "substantially hollow" will be interpreted to mean "hollow."

4. **Claim 23** rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 23 recites the limitation "said metal deposition" in the first and second lines of the claim. There is insufficient antecedent basis for this limitation in the claim, since claim 20 does not teach a "metal deposition" step, it is expected applicant intended to make claim 23 dependent upon claim 21, which does teach "further comprising a metal deposition step" and for the purposes of examination it will be interpreted as such.

## Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-4, 7, 8, 16, 25, 32 and 33 are rejected under 35 U.S.C. 102(b) as being anticipated by Kovtyukhova et al (Materials Science and Engineering C 19 (2002) 255-262).

- 5. The instant claim 1 requires a method of preparing a material composed of nanoparticles comprising:
  - a. Providing a substrate having pores or channels functionalized with an agent capable of binding nanoparticles, with said pores or channels having a desired shape and a cross-sectional size from several nanometers to several hundreds of microns;
  - b. Passing through said substrate a colloid solution comprising nanoparticles and a solvent, so as to bind and form more than one layer of nanoparticles in the pores or channels, where the nanoparticles spontaneously coalesce to form a coherent material;

Art Unit: 1792

c. Thereby obtaining in said pores or channels a material composed of nanoparticles having a hollow structure that follows the shape of the pores or channels in the substrate.

6. The instant independent claim 25 is a product-by-process claim that could be produced by the process of claim 1. Since it is a product claim, only the structure that would result from the process is given patentable weight. It requires that the material be composed of more than one layer of nanoparticles that have coalesced as a coherent material, with a hollow structure, either in the shape of a pore or a channel.

Kovtyukhova et al teach a process of forming a material composed of (including) nanoparticles which involves providing a membrane with pores where the surface of the pores has been functionalized with an agent (PEI). The membranes are composed of alumina (claims 7 and 8) with pores of the desired tubular shape 200nm (claim 3). They teach using a layer-by-layer deposition process wherein a solution of metal oxide nanoparticles (claim 4) and a solvent is passed through the membrane, followed by a polymer solution and repeated until a multilayer structure composed of the nanoparticles is produced. Since the layers are connected, they are coherent. Since the connection of the layers occurs when the solutions are passed through the membrane, the coalescence of the nanoparticles is spontaneous. This results in a multilayer structure of nanoparticles in the pores having a hollow structure that follows the shape of the pores (claims 1, 16 and 25) (section 2.2 (1) and figure 2). It is clearly envisaged from figure 2 that Kovtyukhova et al also teach using alumina membranes where the nanopores penetrate from one side of the substrate to the other side (claim

Art Unit: 1792

**32)**. They further teach dissolving the membrane to separate the nanotubes from the membrane (claims 2 and 33) (figure 2 [a-d]).

## Claim Rejections - 35 USC § 103

The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 5, 6, 9-11, 17, 20, 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kovtyukhova et al (Materials Science and Engineering C 19 (2002) 255-262) in view of Liu et al (Chemical Physics Letters 298 (1998) 315-319) in view of Braunstein et al (Chem. Eur. J. 2000, 6, No24, pages 4637-4646).

Art Unit: 1792

8. The instant **claim 20** is directed toward a method for forming gold nanotubes comprising:

- a. Providing a substrate having nanopores functionalized with an agent capable of binding gold nanoparticles, said nanopores penetrating from one side of the substrate to the other side and having a diameter of about 20nm to 500nm;
- b. Passing through said substrate a colloid solution comprising stabilized gold nanoparticles and water, so as to bind and form in the nanopores more than one layer of gold nanoparticles, where the nanoparticles spontaneously coalesce to form coherent nanotubes comprising gold;
- c. Optionally, separating the gold nanotubes from the substrate.

Claim 5 (dependent upon claim 4) further requires that the material be a metal based material.

**Claim 6** (dependent upon claim 5) further *optionally* requires that the metal nanoparticle based material be separated from the substrate.

Kovtyukhova et al teach a process of forming a material composed of (including) nanoparticles which involves providing a membrane with pores where the surface of the pores have been functionalized with an agent (PEI). The membranes are composed of alumina with pores of the desired tubular shape 200nm. They teach using a layer-by-layer deposition process wherein a solution of metal oxide nanoparticles and a solvent is passed through the membrane, followed by a polymer solution and repeated until a multilayer structure composed of the nanoparticles is produced. Since the layers are connected, they are coherent. Since the connection of the layers occurs when the

Art Unit: 1792

solutions are passed through the membrane, the coalescence of the nanoparticles is spontaneous. This results in a multilayer structure of nanoparticles in the pores having a hollow structure that follows the shape of the pores (section 2.2 (1) and figure 2). They further teach dissolving the membrane to separate the nanotubes from the membrane (figure 2 [a-d]).

As is readily apparent from figure 2, Kovtyukhova et al also teach using alumina membranes where the nanopores penetrate from one side of the substrate to the other side. They also teach using nanoparticles generally as the base material for a variety of nanoscale electronic components. They teach that "a real challenge in the practical use of these [nanoscale electronic components] is the problem of making the appropriate connections between nanoscale devices..." As discussed above, they also teach depositing multilayers of nanoparticles into the tubular pores of alumina membranes to produce electronic structures, but they do not specifically teach using metal nanoparticles (Introduction).

Liu et al teach using a similar layer-by-layer deposition process in order to form multilayer films of metal nanoparticles for the construction of 3-D highly conductive structures, made specifically of gold (claims 5, 6 and 10), onto substrates in such a way that the electrical properties of the multilayer can be controlled for the creation of nanostructured electrical devices. Liu et al teach that it is known to use gold colloidal solutions with nanoparticles with varying diameters, including 11 nm in diameter for such multilayers (claim 17) (Introduction, page 315) and that the gold nanoparticles are

stabilized by organic stabilizers (cationic polymer molecules) (**claim 11**, introduction page 316).

Thus it would have been obvious to a person of ordinary skill in the art at the time of invention to substitute the TiO<sub>2</sub> nanoparticle layers in the multilayer deposition of Kovtyukhova et al for the gold nanoparticle multilayers of Liu et al in order to produce a templated nanoparticle structure of gold nanoparticles with tunable conductivities (claims 5 and 6). Such a person would be motivated to do so in order to produce connectors between nanoscale devices with tunable conductivities and predictable results.

Kovtyukhova et al teach using PEI on the alumina substrate to bind the alumina membrane with the TiO2 nanoparticles, however, they do not specify that the PEI is a bifunctional agent.

However, Braunstein et al teach that "the nature of the chemical interactions between the metal clusters or colloids and the nanoporous cavity will play an essential role in determining their organization and confinement inside the pores. It therefore becomes particularly attractive to attempt the functionalization of the interior pore surface to improve the selectivity of these interactions." They teach that in order to bind gold metal nanoparticles to the surface of alumina membranes, bifunctional agents with one moity that binds to the alumina —OH terminated surface and another that strongly binds to the metal clusters have been used and successfully immobilize the clusters on the alumina membrane surface (Introduction, page 4638, right column).

Art Unit: 1792

Thus, it would have been obvious to a person of ordinary skill in the art at the time of invention to substitute the binding agent on the alumina substrate used by Kovtyukhova et al to bind the alumina with the TiO2 nanoparticles (PEI) for an appropriate bifunctional agent with a moity that binds to the alumina and another that binds with the gold nanoparticles: immobilizing the gold nanoparticles and improving the selectivity of the nanoparticle/membrane wall interaction in order to better control the structure and organization of the resulting gold nanoparticle layers (claims 9 and 20).

Claims 26 and 27 depend upon the product-by-process claim 25 and further require that the material be nanotubes about 200nm in diameter composed of gold nanoparticles about 10-20nm in diameter.

As discussed above for claim 17, Kovtyukhova et al in view of Liu et al teach forming nanotubes ~200nm in diameter composed of gold nanoparticles 11nm in diameter. It would have been obvious to a person of ordinary skill in the art at the time of invention to do so for the reasons cited above.

9. Claims 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kovtyukhova et al in view of Liu et al in view of Braunstein et al, as applied to claim 11 above, further in view of Mougin et al. (Colloids and Surfaces A: Physicochem. Eng. Aspects 193 (2001) 231-237).

Claims 12-13 are directed towards using tri-sodium citrate dehydrate salt as an organic stabilizer for the nanoparticles.

Kovtyukhova et al in view of Liu et al teach using stabilizers for the gold nanoparticles, but do not teach using tri-sodium citrate dihydrate. However, Mougin et

al teach the stabilization of gold nanoparticles with tri-sodium citrate dihydrate (citric acid trisodium) (Experimental section, page 233).

It would have been obvious to a person of ordinary skill in the art at the time of invention to substitute the polymeric stabilizers of Kovtyukhova et al in view of Liu et al with the known stabilizer tri-sodium citrate dihydrate to perform the same function and produce predictable results.

9. Claims 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kovtyukhova et al in view of Liu et al and Braunstein et al as applied to claim 9 above, and further in view of Mardilovich et al (Journal of Membrane Science, Volume 98, Issues 1-2, 13 January 1995, Pages 143-155).

Claims 14 and 15 require that the alumina membrane be dissolved in an acid or a base.

As discussed above, Kovtyukhova et al in view of Liu et al teach separating the material from the alumina membrane by dissolving the alumina membrane, but do not teach how exactly they do that. However, Mardilovich et al teach that "Conventional (amorphous) AA [anodic alumina] membranes are unique ceramic sieves, however, they have very little resistance to acid and base attack. The dissolution process of amorphous AA membranes begins at pH <5.0 and pH >8.2. If the contact time is long enough (in basic media it may be only some hours), such membranes can be completely dissolved at pH<4.2 and pH>9.9 (in HCl and NaOH)" (conclusions).

Thus is would have been obvious to a person of ordinary skill in the art at the time of invention to dissolve the alumina membrane in either an acid or a base. Such a

person would have been motivated to do so in order to effectively dissolve the alumina membrane.

10. Claims 18, 19, and 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kovtyukhova et al in view of Liu et al and Braunstein et al as applied to claims 1, 6 and 20 above, and further in view of Martin et al (J. Phys. Chem. B 2001, 105, 1925-1934).

The instant claims are directed towards coating the inside of the nanoparticle multilayer material with a metal layer to form a material that is still hollow.

Kovtyukhova et al in view of Liu et al teach electrolessly plating the inside of the nanotube material with a layer of gold (Kovtyukhova et al 2.2 (1)). However, they do not teach leaving the inside of the nanotube hollow, but rather entirely fill the tube to form gold rods.

Martin et al teaches that "[i]n the electroless method, metal deposition begins at the pore walls creating, at a short deposition time, hollow metal nanotubules within the pores. That is, the electroless plating method yielded metal (typically gold) nanotubule membranes" (introduction page 1925). By controlling the gold deposition time they can control the inside diameter of the nanotube (figure 2). They studied the transport properties of the nanotubes in the membranes and teach that they "might be useful as molecular sieves" (Introduction, page 1925) and that "[b]ecause the nanotubules are composed of an electronically conductive material (Au), it is possible to change the transport properties of these membranes electrochemically" (Section V, page 1931).

Art Unit: 1792

Thus it would have been obvious to a person of ordinary skill in the art at the time of invention to decrease the deposition time for the gold electroless deposition in order to produce hollow gold nanotubes (claims 18, 19, 21 and 23), such a person would have been motivated to do so in order to produce filters with electrochemical control over the transport properties.

11. Claim 22 further requires that the metal deposited inside of the nanotube be copper.

Kovtyukhova et al in view of Liu et al in view of Braunstein et al further in view of Martin et al teach the deposition of gold as the conductive layer forming the inside diameter of the sieves.

However, it would have been obvious to a person of ordinary skill in the art to substitute the gold metal coating on the gold nanoparticles for a copper metal coating because they are both well known as conductive materials and so, as taught by Martin above, it would be possible for either one to change the transport properties of the nanotubes electrochemically, with the substitution producing predictable results. Such a person would have been motivated to do so in order to produce a product that is conductive with the same dimensions, but with materials that are less expensive (the examiner takes official notice that it is well known that, by volume, copper is less expensive than gold) and have a product that would as a result be less expensive to produce.

#### Conclusion

No current claims are allowed.

Art Unit: 1792

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOEL G. HORNING whose telephone number is (571) 270-5357. The examiner can normally be reached on M-F 9-5pm with alternating Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael B. Cleveland can be reached on (571) 272-1418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JH/

/Michael Cleveland/ Supervisory Patent Examiner, Art Unit 1792